



Specifications Philips LED Panel Coreline RC120B 36W 3400lm - 840 Cool White | 60x60cm - UGR <25 - Dali Dimmable

[View Product](#)

General Information

| | |
|--------------------------|-------------------------------------|
| SKU | 207015 |
| EAN | 8718291266488 |
| Brand | Philips |
| Manufacturer Name | RC120B LED34S/840 PSD W60L60 VAR-PC |
| Any Lamp all-in warranty | 3 Years |
| Average Lifetime (h) | 50000 |
| Series | RC120B |

Technical Information

| | |
|-----------------------------|--------------------|
| Technology | LED Integrated |
| Replaces (Watt) | 4x18 |
| Wattage | 36 |
| Voltage (V) | 220-240 |
| Dimmable | Dimmable with Dali |
| Colour Code | 840 Cool White |
| Colour temperature (Kelvin) | 4000 Cool White |
| Colour Rendering (Ra) | 80-89 |
| Colour of Light | White |
| Light colour options | Single Color |
| Luminous Flux (Lumen) | 3400 |

| | |
|--------------------------|---|
| Luminous Efficacy (lm/W) | 94 |
| Tilttable | No |
| Suitable for Outdoor | No |
| IP-rating | IP20 |
| Impact Protection (IK) | IK02 - 0.20 joule |
| Fixture Connection | PIP [Push-in connector and pull relief] |
| Driver Included | Yes |
| Power factor | >0.90 |
| Product Type Category | LED Panel |

Fixture Information

| | |
|-----------------------|------------------------------------|
| EOC8 | 26648800 |
| Mounting Method | Recessed |
| Unified Glare Rating | < 25 - for hallways and staircases |
| Optical Cover | PC (Polycarbonate) |
| Operating Temperature | +10 to +40 |
| Emergency Lighting | No Emergency Unit |
| Colour of the Fixture | White |
| Housing | Steel |
| Colour of material | White |

Dimensions

| | |
|----------------|---------|
| LED panel size | 60x60cm |
| Length (mm) | 597 |
| Width (mm) | 597 |
| Height (mm) | 32 |

Sensor Information

Type of sensor

No Sensor

Why Any-lamp?

 Order from the **largest lighting specialist** in Europe  **Customised** quotation

 **Up to 7 years warranty**  **Easy** return process

